

1 **Clinical Practice Guideline: Therapeutic Touch Therapy**

2
3 **Date of Implementation: June 21, 2007**

4
5 **Product: Specialty**

6
7
8 **GUIDELINES**

9 American Specialty Health (ASH) considers therapeutic touch as unproven because there
10 is insufficient evidence in the literature to establish clinical effectiveness.

11
12 For more information, see *ASH Techniques and Procedures Not Widely Supported as*
13 *Evidence Based (CPG 133 – S)* clinical practice guideline.

14
15 Patients must be informed verbally and in writing of the nature of any procedure or
16 treatment technique that is considered experimental/investigational or unproven, poses a
17 significant health and safety risk, and/or is scientifically implausible. If the patient decides
18 to receive such services, they must sign a *Member Billing Acknowledgment Form* (for
19 Medicare use *Advance Beneficiary Notice of Non-Coverage form*) indicating they
20 understand they are assuming financial responsibility for any service-related fees. Further,
21 the patient must sign an attestation indicating that they understand what is known and
22 unknown about, and the possible risks associated with such techniques prior to receiving
23 these services. All procedures, including those considered here, must be documented in the
24 medical record. Finally, prior to using experimental/investigational or unproven
25 procedures, those that pose a significant health and safety risk, and/or those considered
26 scientifically implausible, it is incumbent on the practitioner to confirm that their
27 professional liability insurance covers the use of these techniques or procedures in the event
28 of an adverse outcome.

29
30 **DESCRIPTION/BACKGROUND**

31 According to the NIH National Cancer Institute, Therapeutic Touch is “a form of
32 complementary and alternative medicine based on the belief that vital energy flows through
33 the human body. This energy is said to be balanced or made stronger by practitioners who
34 pass their hands over, or gently touch, a patient's body... Therapeutic touch is a type of
35 energy therapy. Also called healing touch.” Based on proponents of this therapy, the
36 focused intention of the practitioner is considered to be crucial to the therapy’s
37 effectiveness. This therapy is practiced almost exclusively by nurses and is popular in
38 hospital settings as well as other clinical arenas. Therapeutic Touch has four basic
39 components: centering, assessing, intervention, and evaluation. Centering is an internal
40 preparation by the practitioner for treatment, using breathing, imagery and similar
41 techniques to focus one’s “energy.” Assessing involves holding one’s hands between 2 and
42 6 inches from the patient while moving them through the patient’s “energy field.”

1 Intervention involves clearing and rebalancing the patient’s “energy.” Evaluation is the use
 2 of informed and intuitive judgment to determine when to end the session, being careful not
 3 to overwork an “energy field.”
 4

5 Therapeutic Touch (TT) therapy was developed by a nursing professor in the 1970’s who
 6 was inspired by the work of a therapist and clairvoyant. One becomes a Therapeutic Touch
 7 practitioner by completing a 12-hour workshop on the technique. The principles of
 8 quantum physics are often invoked to explain the mechanisms of this technique, but no
 9 coherent connection between these two disciplines has been established.
 10

11 As TT does not involve direct physical contact with a patient, there is little reported danger
 12 of safety. It has been hypothesized by supporters of Therapeutic Touch that it may be
 13 possible for an ill practitioner to transfer a harmful “energy” to patients, but there is no
 14 scientific basis for this concern.
 15

16 EVIDENCE REVIEW

17 There is a wide range of literature on Therapeutic Touch. Rosa et al. (1998) evaluated the
 18 scientific mechanism of Therapeutic Touch and the abilities of its practitioners. Rosa et al.
 19 tested under blinded conditions whether a TT practitioner could sense the “energy field”
 20 of a person’s hand. None of the practitioners tested passed this test and the results showed
 21 an even lower correct response rate than is usually expected by pure chance. Some RCTs
 22 have demonstrated positive findings with TT however methodology limitations preclude
 23 confirmation of these results (Gordon et al., 1998; Movaffaghi et al., 2006; Peck 1998).
 24 Others found that Therapeutic Touch was no better than placebo or controls in improving
 25 objective measures (Blankfield et al., 2001; Giasson and Bouchard 1998; Smith et al.,
 26 2002).
 27

28 Systematic reviews of TT have also been published. Easter (1997), Ireland and Olson
 29 (2000), O’Mathuna (2000), O’Mathuna and Ashford (2003), Spence and Olson (1997), and
 30 Winstead-Fry and Kijek (1999) all found that there was not sufficient evidence currently
 31 to support the use of Therapeutic Touch. Although this finding was occasionally couched
 32 in positive terms such as “research indicates a positive regard for the use of Therapeutic
 33 Touch” (Easter 1997) the efficacy of Therapeutic Touch could not be supported by the
 34 research findings evaluated. The systematic reviews have consistently identified that the
 35 overall quality of TT clinical trials has been poor.
 36

37 Monroe (2009) sought to better understand how TT can be used in the health care arena by
 38 reviewing articles published from 1997 to 2007. Of the 7 studies conducted, only 5 were
 39 included as pertinent. Monroe suggested that given there are no identified risks to TT as a
 40 pain relief measure, it is safe to recommend despite the limitations of current research and
 41 should be considered among the many possible nursing interventions for the treatment of
 42 pain. Coakley and Duffy (2010) tested the efficacy of TT on pain and biobehavioral

1 markers in patients recovering from vascular surgery. Twenty-one patients were included
 2 in this study. Measures of pain and cortisol were taken. Participants who received TT had
 3 lower levels of pain and cortisol than those who did not receive TT. Authors suggest that
 4 evidence supports TT as a beneficial intervention with patients. Future research on TT is
 5 still needed to learn more about how it functions.

6
 7 O'Mathúna (2016) completed a Cochrane review on therapeutic touch for healing acute
 8 wounds. All randomized or quasi-randomized controlled trials, comparing the effect of TT
 9 with a placebo, another treatment, or no treatment control were considered. Studies which
 10 used TT as a stand-alone treatment, or as an adjunct to other therapies, were eligible. No
 11 new trials were identified for this update. Four trials in people with experimental wounds
 12 were included. The effect of TT on wound healing in these studies was variable. All trials
 13 are at high risk of bias. Authors concluded that there is no robust evidence that TT promotes
 14 healing in acute wounds.

15
 16 Garrett and Riou (2021) synthesized the most recent evidence investigating the
 17 effectiveness and safety of therapeutic touch as a complementary therapy in clinical health
 18 applications. Twenty-one studies covering a range of clinical issues were identified.
 19 Eighteen of the studies reported positive outcomes. Only four exhibited a low risk of bias.
 20 All others had serious methodological flaws, bias issues, were statistically underpowered
 21 and scored as low-quality studies. No high-quality evidence was found for any of the
 22 benefits claimed.

23 24 *References*

25 Blankfield RP, Sulzmann C, Fradley LG, Tapolyai AA, Zyzanski SJ. Therapeutic touch in
 26 the treatment of carpal tunnel syndrome. *J Am Board Fam Pract.* 2001;14(5):335-342

27
 28 Coakley AB, Duffy ME. The effect of therapeutic touch on postoperative patients. *J Holist*
 29 *Nurs.* 2010;28(3):193-200. doi:10.1177/0898010110368861

30
 31 Easter A. The state of research on the effects of therapeutic touch. *J Holist Nurs.*
 32 1997;15(2):158-175. doi:10.1177/089801019701500207

33
 34 Garrett B, Riou M. A rapid evidence assessment of recent therapeutic touch research. *Nurs*
 35 *Open.* 2021;8(5):2318-2330. doi:10.1002/nop2.841

36
 37 Giasson M, Bouchard L. Effect of therapeutic touch on the well-being of persons with
 38 terminal cancer. *J Holist Nurs.* 1998;16(3):383-398.
 39 doi:10.1177/089801019801600307

40
 41 Gordon A, Merenstein JH, D'Amico F, Hudgens D. The effects of therapeutic touch on
 42 patients with osteoarthritis of the knee. *J Fam Pract.* 1998;47(4):271-277

- 1 Ireland M, Olson M. Massage therapy and therapeutic touch in children: state of the
2 science. *Altern Ther Health Med.* 2000;6(5):54-63
3
- 4 Monroe CM. The effects of therapeutic touch on pain. *J Holist Nurs.* 2009;27(2):85-92.
5 doi:10.1177/0898010108327213
6
- 7 Movaffaghi Z, Hasanpoor M, Farsi M, Hooshmand P, Abrishami F. Effects of therapeutic
8 touch on blood hemoglobin and hematocrit level. *J Holist Nurs.* 2006;24(1):41-48.
9 doi:10.1177/0898010105282527
10
- 11 O'Mathúna DP. Evidence-based practice and reviews of therapeutic touch. *J Nurs*
12 *Scholarsh.* 2000;32(3):279-285. doi:10.1111/j.1547-5069.2000.00279.x
13
- 14 O'Mathúna DP. Therapeutic touch for healing acute wounds. *Cochrane Database Syst Rev.*
15 2016;(5):CD002766. Published 2016 May 3. doi:10.1002/14651858.CD002766.pub4
16
- 17 O'Mathúna DP, Ashford RL. Therapeutic touch for healing acute wounds. *Cochrane*
18 *Database Syst Rev.* 2003;(4):CD002766. doi:10.1002/14651858.CD002766
19
- 20 NIH National Cancer Institute. Therapeutic Touch. Retrieved on July 27, 2023 from
21 <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/therapeutic-touch>
22
- 23 Peck SD. The effectiveness of therapeutic touch for decreasing pain in elders with
24 degenerative arthritis. *J Holist Nurs.* 1997;15(2):176-198.
25 doi:10.1177/089801019701500208
26
- 27 Peck SD. The efficacy of therapeutic touch for improving functional ability in elders with
28 degenerative arthritis. *Nurs Sci Q.* 1998;11(3):123-132.
29 doi:10.1177/089431849801100311
30
- 31 Rosa L, Rosa E, Sarner L, Barrett S. A close look at therapeutic touch. *JAMA.*
32 1998;279(13):1005-1010. doi:10.1001/jama.279.13.1005
33
- 34 Smith DW, Arnstein P, Rosa KC, Wells-Federman C. Effects of integrating therapeutic
35 touch into a cognitive behavioral pain treatment program. Report of a pilot clinical
36 trial. *J Holist Nurs.* 2002;20(4):367-387. doi:10.1177/089801002237593
37
- 38 Spence JE, Olson MA. Quantitative research on therapeutic touch. An integrative review
39 of the literature 1985-1995. *Scand J Caring Sci.* 1997;11(3):183-190.
40 doi:10.1111/j.1471-6712.1997.tb00452.x

- 1 Straneva JA. Therapeutic touch coming of age. *Holist Nurs Pract.* 2000;14(3):1-13.
2 doi:10.1097/00004650-200004000-00004
3
- 4 Therapeutic Touch® International Association. (2018). Guidelines and standards for the
5 practice of therapeutic touch. Retrieved July 27, 2023 from
6 <https://therapeutictouch.org/credentialing/policies/guidelines-and-standards/>
7
- 8 Winstead-Fry P, Kijek J. An integrative review and meta-analysis of therapeutic touch
9 research. *Altern Ther Health Med.* 1999;5(6):58-67