

Clinical Practice Guideline: Patient Assessments: Medical Necessity Decision Assist Guideline for Evaluations, Re-evaluations and Consultations for Dates of Service Effective January 1, 2023

Date of Implementation: December 15, 2022

Scope: Specialty

A variety of Current Procedural Terminology (CPT) codes represent evaluation/re-evaluation and consultation services. The choice of the appropriate evaluation/re-evaluation code series is determined by practitioner licensure (Evaluation and Management (E/M) codes (e.g., DC, ND, DPM) or Evaluation and Re-evaluation codes (e.g., PT, OT, AT).

Appropriate outcome measures (e.g., Oswestry Disability Index, Neck Disability Index, and Visual Analogue Pain Scale) are an integral part of most evaluations and re-evaluations. These tools allow the practitioner to quantify the patient’s clinical and/or functional status, identify prognostic indicators, measure changes in clinical and/or functional status over time, and assess the effectiveness of interventions. Please refer to www.ashlink.com for additional information on various outcome assessment tools and other ASH Clinical Practice Guidelines.

OFFICE OR OTHER OUTPATIENT EVALUATION AND MANAGEMENT (E/M) CODING OVERVIEW

For specialties that use Office or Other Outpatient E/M codes, a New Patient is defined by the CPT codebook as one who has not received any professional services from the physician/qualified health care professional or another physician/qualified health care professional of the exact same specialty and subspecialty who belongs to the same group practice, within the past three years. An Established Patient is defined by the CPT codebook as a patient who has received professional services from the physician/qualified health care professional or another physician/qualified health care professional of the exact same specialty and subspecialty who belongs to the same group practice, within the past three years. Practitioners are encouraged to become familiar with the current CPT codes and their use as well as with the applicable American Specialty Health – Specialty (ASH) client summaries.

According to the CPT codebook, E/M codes refer to Evaluation and Management services provided during the physician/qualified health care professional-patient interaction. The typically used E/M codes are Office or Other Outpatient Services for New Patients: 99202

1 – 99205 and for Established Patients: 99211 – 99215. Proper E/M coding is a requirement
2 under the federal Health Insurance Portability and Accountability Act (HIPAA).

3
4 **GUIDELINES FOR OFFICE OR OTHER OUTPATIENT E/M SERVICES**

5 ASH follows the definitions and documentation requirements for coding Office or Other
6 Outpatient services found in the currently applicable American Medical Association CPT
7 codebook. Providers are encouraged to review changes to the definitions and
8 documentation requirements for coding on an annual basis.

9
10 **History and/or Examination**

11 Office or Other Outpatient E/M services include a medically appropriate history and/or
12 physical examination, when performed. The nature and extent of the history and/or
13 physical examination is determined by the treating physician or other qualified health care
14 professional reporting the service. The care team may collect information and the patient
15 or caregiver may supply information directly (e.g., by portal or questionnaire) that is
16 reviewed by the reporting physician or other qualified health care professional. The extent
17 of history and physical examination is not an element in selection of Office or Other
18 Outpatient services.

19
20 **Number and Complexity of Problems Addressed at the Encounter**

21 One element in the level of code selection for an Office or Other Outpatient service is the
22 number and complexity of the problems that are addressed at an encounter. Multiple new
23 or established conditions may be addressed at the same time and may affect medical
24 decision making. Symptoms may cluster around a specific diagnosis and each symptom is
25 not necessarily a unique condition. Comorbidities/underlying diseases, in and of
26 themselves, are not considered in selecting a level of E/M services unless they are
27 addressed, and their presence increases the amount and/or complexity of data to be
28 reviewed and analyzed or the risk of complications and/or morbidity or mortality of patient
29 management. The final diagnosis for a condition does not in itself determine the complexity
30 or risk, as extensive evaluation may be required to reach the conclusion that the signs or
31 symptoms do not represent a highly morbid condition. Multiple problems of a lower
32 severity may, in the aggregate, create higher risk due to interaction.

33
34 **Instructions for Selecting a Level of Office or Other Outpatient E/M Service**

35 Choosing the appropriate level of Office or Other Outpatient Services E/M code is based
36 on one of two (2) components:

- 37 1. The total time for E/M services performed on the date of the encounter; or
38 2. The level of the medical decision making as defined for each service.

39
40 If the physician/other qualified health care professional submits documentation citing the
41 amount of time spent on the E/M service on the date of the encounter and that time was

1 used as the standard for the E/M code selected, ASH will evaluate the level of E/M code
2 that was performed using the time guidelines as outlined in the CPT codebook.

3
4 If the physician/other qualified health care professional fails to identify whether total E/M
5 time or medical decision-making criteria was the basis for the selection of the E/M level,
6 and the total time of the E/M service performed on a specific date of encounter is not clearly
7 documented in the medical record, the determination of the level of E/M service will
8 default to medical decision-making criteria. If, in response this default determination, the
9 physician/other qualified health care professional submits additional information in the
10 form of a re-open/reconsideration request and provides amended documentation citing the
11 amount of time spent on the E/M service on the date of the encounter and that time was
12 used as the standard for the E/M code selected, ASH will re-evaluate the level of E/M code
13 that was performed using the time guidelines as outlined in the CPT codebook.

14 **Time**

15 In the CPT codebook, the American Medical Association provides guidance concerning
16 using time as a factor for choosing the appropriate level of Office or Other Outpatient
17 Services E/M codes.
18

19
20 Time may be used to select a code level in Office or Other Outpatient services whether or
21 not counseling and/or coordination of care dominates the service. When prolonged time
22 occurs, the appropriate add-on code may be reported. The appropriate time should be
23 documented in the medical record when it is used as the basis for code selection.
24

25 **Medical Decision Making**

26 Medical decision making includes establishing diagnoses, assessing the status of a
27 condition, and/or selecting a management option. Medical decision making in the office
28 and other outpatient services code set is defined by three elements:

- 29 • The number and complexity of problem(s) that are addressed during the encounter.
- 30 • The amount and/or complexity of data to be reviewed and analyzed. This data
31 includes medical records, tests, and/or other information that must be obtained,
32 ordered, reviewed, and analyzed for the encounter. This includes information
33 obtained from multiple sources or interprofessional communications that are not
34 separately reported. It includes interpretation of tests that are not separately
35 reported. Ordering a test is included in the category of test result(s) and the review
36 of the test result is part of the encounter and not a subsequent encounter. Data is
37 divided into three categories:
 - 38 ○ Tests, documents, orders, or independent historian(s). (Each unique test, order
39 or document is counted to meet a threshold number);
 - 40 ○ Independent interpretation of tests;

- 1 ○ Discussion of management or test interpretation with external physician or
2 other qualified healthcare professional or appropriate source. (not separately
3 reported).
- 4 ● The risk of complications and/or morbidity, or mortality of patient management.
5 This includes decisions made at the encounter , associated with the diagnostic
6 procedure(s) and treatment(s). This includes the possible management options
7 selected and those considered, but not selected, after shared decision making with
8 the patient and/or family. For example, a decision about hospitalization includes
9 consideration of alternative levels of care. Examples may include a psychiatric
10 patient with a sufficient degree of support in the outpatient setting or the decision
11 to not hospitalize a patient with advanced dementia with an acute condition that
12 would generally warrant inpatient care, but for whom the goal is palliative
13 treatment.

14
15 Four types of medical decision making are recognized: straightforward, low, moderate, and
16 high. The concept of the level of medical decision making does not apply to code 99211.

17
18 Shared decision making involves eliciting patient and/or family preferences, patient and/or
19 family education, and explaining risks and benefits of management options.

20
21 When the physician or other qualified health care professional is reporting a separate CPT
22 code that includes interpretation and/or report, the interpretation and/or report should not
23 be counted in the medical decision making when selecting a level of Office or Other
24 Outpatient service. When the physician or other qualified professional is reporting a
25 separate service for discussion of management with a physician or other qualified health
26 care professional, the discussion is not counted in the medical decision making when
27 selecting a level of Office or Other Outpatient service. Medical decision making may be
28 impacted by role and management responsibility.

29
30 The Levels of Medical Decision Making are clearly described in the AMA CPT codebook
31 and should be used as a guide to assist in selecting the level of medical decision making
32 for reporting an Office or Other Outpatient E/M service code. The AMA CPT codebook
33 describes the four levels of medical decision making (i.e., straightforward, low, moderate,
34 high) and the three elements of medical decision making (i.e., number and complexity of
35 problems addressed, amount and/or complexity of data reviewed and analyzed, and risk of
36 complications and/or morbidity or mortality of patient management) as the elements
37 required to qualify for a particular level of medical decision making. Definitions for the
38 elements of medical decision making for Office or Other Outpatient E/M services are also
39 found in the AMA CPT codebook.

1 The following table is a comparison of all new patient and established patient Office or
 2 Other Outpatient E/M service codes:

3

4 **New Patient**

Code	Medical Decision Making	History	Examination	Time
99202	Straightforward	Medically Appropriate	Medically Appropriate	15-29 minutes
99203	Low	Medically Appropriate	Medically Appropriate	30-44 minutes
99204	Moderate	Medically Appropriate	Medically Appropriate	45-59 minutes
99205	High	Medically Appropriate	Medically Appropriate	60-74 minutes

5

6 **Established Patient**

Code	Medical Decision Making	History	Examination	Time
99211	N/A	N/A	N/A	Not Defined
99212	Straightforward	Medically Appropriate	Medically Appropriate	10-19 minutes
99213	Low	Medically Appropriate	Medically Appropriate	20-29 minutes
99214	Moderate	Medically Appropriate	Medically Appropriate	30-39 minutes
99215	High	Medically Appropriate	Medically Appropriate	40-54 minutes

7

8 **MEDICAL NECESSITY CRITERIA FOR E/M SERIES CODES**

9

10 **Initial Evaluations (Use the appropriate E/M series code supported for each case)**

11 An initial evaluation of a patient presenting for healthcare services is performed in order
 12 to:

- 13 • Provide the basis for determining the working diagnosis;
- 14 • Reveal the possible occupational, social and/or psycho-social issues that may
 15 impact care;
- 16 • Identify co-morbid or complicating factors; and
- 17 • Establish the basis for an initial plan of care including:
 18 ○ The need for additional diagnostic testing; and

- 1 ○ The need for referral to other healthcare practitioner(s) for evaluation,
- 2 management, co-management or coordination of care;
- 3 ● Develop initial set of treatment goals.

4

5 **Re-Evaluations (Use the appropriate Established Patient E/M series code supported**
 6 **for each case)**

7 Established patient re-evaluation services are considered medically necessary when all of
 8 the following conditions are met:

- 9 ● Re-evaluation is not a recurring routine assessment of patient status.
- 10 ● The documentation of the re-evaluation includes all of the following elements:
 - 11 ○ An evaluation of progress toward current goals;
 - 12 ○ Making a professional judgment about continued care;
 - 13 ○ Making a professional judgment about revising goals and/or treatment or
 - 14 terminating services.

15

16 And any one of the following indications is documented:

- 17 ● The patient presents with new clinical findings;
- 18 ● There is a significant change in the patient's condition;
- 19 ● The patient has failed to respond to the therapeutic interventions outlined in the
- 20 current plan of care.

21

22 A re-evaluation is not considered medically necessary once it has been determined that the
 23 patient has reached maximum therapeutic benefit for services provided, unless there is/are
 24 valid reason(s) documented, as clarified above, for the re-evaluation service.

25

26 For specialty services, except Podiatry and Naturopathy, ASH typically does not provide
 27 prospective (pre-service) approval of established patient E/M services, or re-evaluations,
 28 to be rendered in the future due to the difficulty in establishing the point at which a patient's
 29 condition would have changed sufficiently to require a re-evaluation and the inability to
 30 identify and substantiate the necessary components which would define the E/M service
 31 level. If there is a future point at which the practitioner decides a re-evaluation is necessary
 32 based on a significant change in the patient's condition, a new injury/condition, a
 33 significant exacerbation of an existing condition, or a new functional deficit or
 34 abnormality; it is appropriate to submit documentation of those factors and provide new
 35 examination findings for medical necessity verification of the need for that re-evaluation
 36 and a modified treatment plan. ASH can only approve an established patient E/M service
 37 with appropriate documentation, justifying the medical necessity of an established patient
 38 E/M service that has been received.

EVALUATION MANAGEMENT FOR CONSULTATIONS AND MANAGEMENT

Office or Other Outpatient Consultations Overview

A consultation is a type of E/M service provided at the request of another physician, other qualified health care professional or appropriate source to recommend care for a specific condition or problem. A physician or other qualified health care professional consultant may initiate diagnostic and/or therapeutic services at the same or subsequent visit. A “consultation” initiated by a patient and/or family, and not requested by a physician, other qualified health care professional, or other appropriate source (e.g., non-clinical social worker, educator, lawyer, or insurance company), is not reported using the consultation codes. The consultant’s opinion and any services that were ordered or performed must also be communicated by written report to the requesting physician, other qualified health care professional, or other appropriate source. There is one set of codes for this service for new or established patients.

Choosing the appropriate level of Outpatient Consultation code is based on the same criteria as the Office or Other Outpatient E/M service. Code selection is based on one of two (2) components:

1. The total time for Consultation services performed on the date of the encounter; or
2. The level of the medical decision making as defined for each service.

Counseling and/or coordination of care with other practitioners or agencies should be provided consistent with the nature of the patient's problem(s) and the patient's and/or the patient's family's needs.

The following information must be clearly documented in the patient's medical record: 1) request for a consultation from an appropriate source [e.g. referral letter]; 2) the reason[s] why a consultation is needed; 3) provision for a practitioner whose advice, opinion, recommendation, suggestion, direction, or counsel, etc., is requested for evaluating and/or treating a patient since that individual's expertise in a specific medical area is beyond the scope of knowledge of the requesting practitioner; 4) a written report of findings and recommendations from the consultant to the referring practitioner.

This service may **not** be used for: 1) another appropriately requested and documented consultation pertaining to the same or a new problem; 2) the repeat use of consultation codes; 3) any distinctly recognizable procedure or service provided on or following the consultation; 4) assumption of care (all or partial); 5) consultation prompted by the patient and/or the patient's family.

Medical decision making is an essential part and refers to the complexity of establishing a diagnosis and/or selecting a management option as measured by:

- 1 1. The number of possible diagnoses and the number of management options.
- 2 2. The amount or complexity of medical records, diagnostic tests and other
- 3 information.
- 4 3. The risk of serious complications, morbidity and mortality as well as
- 5 comorbidities.

6
7 There are four recognized types of medical decision making: straightforward, low
8 complexity, moderate complexity, and high complexity.

9
10 It should be remembered that Medical Necessity for the level of service chosen must be
11 demonstrated. The actual performance of a *comprehensive* level of service does not justify
12 the billing of a *comprehensive* service if the presenting complaint could have been managed
13 adequately with a *detailed* or lower level of service.

14
15 It should also be remembered that it is the unusual case that presents with a condition that
16 meets or exceeds *moderate* medical decision-making. In fact, typical cases, by their very
17 nature as “typical,” generally meet only *straightforward* clinical decision-making criteria.
18 After gathering all this information, the practitioner can select the appropriate level of E/M
19 service based on AMA CPT codebook requirements and guidance.

20
21 When a time override option is used, it must be appropriately and sufficiently documented
22 in the medical record that the practitioner personally furnished the direct face-to-face time
23 with the patient. Make sure that the start and end times of the visit are documented, along
24 with the date of service.

25 The following is a table of the new patient and established patient office consultation codes:

26
27 **New and Established Patients**

28

Code	History	Examination	Medical Decision-Making	Time
99242	Medically Appropriate	Medically Appropriate	Straightforward	20 minutes must be met or exceeded
99243	Medically Appropriate	Medically Appropriate	Low	30 minutes must be met or exceeded
99244	Medically Appropriate	Medically Appropriate	Moderate	40 minutes must be met or exceeded

Code	History	Examination	Medical Decision-Making	Time
99245	Medically Appropriate	Medically Appropriate	High	55 minutes must be met or exceeded

1
2
3
4
5
6
7
8
9
10
11

HOME OR RESIDENCE E & M SERVICES

The following codes are used to report evaluation and management services provided in a home or residence. Home may be defined as a private residence, temporary lodging, or short-term accommodation (e. g., hotel, campground, hostel, or cruise ship). These codes are also used when the residence is an assisted living facility, group home (that is not licensed as an intermediate care facility for individuals with intellectual disabilities), custodial care facility, or residential substance abuse treatment facility.

When selecting code level using time, do not count any travel time.

Code	Code Description
99341	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.
99342	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
99344	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.
99345	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.
99347	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.
99348	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and

Code	Code Description
	low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.
99349	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.
99350	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.

1
2
3
4
5

PROLONGED SERVICE ON DATE OTHER THAN THE FACE-TO-FACE EVALUATION AND MANAGEMENT SERVICE WITHOUT DIRECT PATIENT CONTACT

Code	Code Description
99358	Prolonged evaluation and management service before and/or after direct patient care; first hour
99359	Prolonged evaluation and management service before and/or after direct patient care; each additional 30 minutes (List separately in addition to code for prolonged service)

6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24

Codes 99358 and 99359 are used when a prolonged service is provided on a date other than the date of a face-to-face evaluation and management encounter with the patient and/or family/caregiver. Codes 99358, 99359 may be reported for prolonged services in relation to any evaluation and management service on a date other than the face-to-face service, whether or not time was used to select the level of the face-to-face service. This service is to be reported in relation to other physician or other qualified health care professional services, including evaluation and management services at any level, on a date other than the face-to-face service to which it is related.

Prolonged service without direct patient contact may only be reported when it occurs on a date other than the date of the evaluation and management service. For example, extensive record review may relate to a previous evaluation and management service performed at an earlier date. However, it must relate to a service or patient in which (face-to-face) patient care has occurred or will occur and relate to ongoing patient management.

Codes 99358 and 99359 are used to report the total duration of non-face-to-face time spent by a physician or other qualified health care professional on a given date providing prolonged service, even if the time spent by the physician or other qualified health care

1 professional on that date is not continuous. Code 99358 is used to report the first hour of
 2 prolonged service on a given date regardless of the place of service. It should be used only
 3 once per date. Prolonged service of less than 30 minutes total duration on a given date is
 4 not separately reported. Code 99359 is used to report each additional 30 minutes beyond
 5 the first hour. It may also be used to report the final 15 to 30 minutes of prolonged service
 6 on a given date. Prolonged service of less than 15 minutes beyond the first hour or less than
 7 15 minutes beyond the final 30 minutes is not reported separately.

8
 9 **PROLONGED CLINICAL STAFF SERVICES WITH PHYSICIAN OR OTHER**
 10 **QUALIFIED HEALTH CARE PROFESSIONAL SUPERVISION**
 11

Code	Code Description
99415	Prolonged clinical staff service (the service beyond the highest time in the range of total time of the service) during an evaluation and management service in the office or outpatient setting, direct patient contact with physician supervision; first hour (List separately in addition to code for outpatient Evaluation and Management service)
99416	Prolonged clinical staff service (the service beyond the highest time in the range of total time of the service) during an evaluation and management service in the office or outpatient setting, direct patient contact with physician supervision; each additional 30 minutes (List separately in addition to code for prolonged service)

12
 13 Codes 99415, 99416 are used when an evaluation and management (E/M) service is
 14 provided in the office or outpatient setting that involves prolonged clinical staff face-to-
 15 face time with the patient and/or family/caregiver. The physician or other qualified health
 16 care professional is present to provide direct supervision of the clinical staff. This service
 17 is reported in addition to the designated E/M services and any other services provided at
 18 the same session as E/M services. Codes 99415, 99416 are used to report the total duration
 19 of face-to-face time with the patient and/or family/caregiver spent by clinical staff on a
 20 given date providing prolonged service in the office or other outpatient setting, even if the
 21 time spent by the clinical staff on that date is not continuous. Time spent performing
 22 separately reported services other than the E/M service is not counted toward the prolonged
 23 services time.

24 Code 99415 is used to report the first hour of prolonged clinical staff service on a given
 25 date. Code 99415 should be used only once per date, even if the time spent by the clinical
 26 staff is not continuous on that date. Prolonged service of less than 30 minutes total duration
 27 on a given date is not separately reported. When face-to-face time is noncontinuous, use
 28 only the face-to-face time provided to the patient and/or family/caregiver by the clinical
 29 staff.
 30

Code 99416 is used to report each additional 30 minutes of prolonged clinical staff service beyond the first hour. Code 99416 may also be used to report the final 15-30 minutes of prolonged service on a given date. Prolonged service of less than 15 minutes beyond the first hour or less than 15 minutes beyond the final 30 minutes is not reported separately. Codes 99415, 99416 may be reported for no more than two simultaneous patients and the time reported is the time devoted only to a single patient. For prolonged services by the physician or other qualified health care professional on the date of an office or other outpatient evaluation and management service (with or without direct patient contact), use 99417. Do not report 99415, 99416 in conjunction with 99417. Use 99415 in conjunction with 99202-99205 or 99212-99215.

The starting point for 99415 is 30 minutes beyond the typical clinical staff time for ongoing assessment of the patient during the office visit. The Reporting Prolonged Clinical Staff Timetable provides the typical clinical staff times beyond the clinical staff times for the office or other outpatient primary codes, the range of time beyond the clinical staff time for which 99415 may be reported, and the starting point at which 99416 may be reported.

REPORTING PROLONGED CLINICAL STAFF TIME

Code	Typical Clinical Staff Time	99415 Time Range (Minutes)	99416 Start Point (Minutes)
99202	29	59-103	104
99203	34	64-108	109
99204	41	71-115	116
99205	46	76-120	121
99211	16	46-90	91
99212	24	54-98	99
99213	27	57-101	102
99214	40	70-114	115
99215	45	75-119	120

20

1 **PROLONGED SERVICE WITH OR WITHOUT DIRECT PATIENT CONTACT**
 2 **ON THE DATE OF AN EVALUATION AND MANAGEMENT SERVICE**
 3

Code	Code Description
99417	Prolonged outpatient evaluation and management service(s) time with or without direct patient contact beyond the required time of the primary service when the primary service level has been selected using total time, each 15 minutes of total time (List separately in addition to the code of the outpatient Evaluation and Management services)

4
 5 Code 99417 is used to report prolonged total time (i.e., combined time with and without
 6 direct patient contact) provided by the physician or other qualified health care professional
 7 on the date of office or other outpatient services, office consultation, or other outpatient
 8 evaluation and management services (i.e., 99205, 99215, 99245, 99345, 99350, 99483).
 9 Code 99418 is used to report prolonged total time (i.e., combined time with and without
 10 direct patient contact) provided by the physician or other qualified health care professional
 11 on the date of an inpatient evaluation and management service (i.e., 99223, 99233, 99236,
 12 99255, 99306, 99310). Prolonged total time is time that is 15 minutes beyond the time
 13 required to report the highest-level primary service. Code 99417 is only used when the
 14 primary service has been selected using time alone as the basis and only after the time
 15 required to report the highest-level service has been exceeded by 15 minutes.

16
 17 To report a unit of 99417, 15 minutes of time must have been attained. Do not report 99417
 18 for any time increment of less than 15 minutes. When reporting 99417, the initial time unit
 19 of 15 minutes should be added once the time in the primary E/M code has been surpassed
 20 by 15 minutes. For example, to report the initial unit of 99417 for a new patient encounter
 21 (99205), do not report 99417 until at least 15 minutes of time has been accumulated beyond
 22 60 minutes (i.e., 75 minutes) on the date of the encounter. For an established patient
 23 encounter (99215), do not report 99417 until at least 15 minutes of time has been
 24 accumulated beyond 40 minutes (i.e., 55 minutes) on the date of the encounter. Time spent
 25 performing separately reported services other than the primary E/M service and prolonged
 26 E/M service is not counted toward the primary E/M and prolonged services time.

27
 28 For prolonged services on a date other than the date of a face-to-face evaluation and
 29 management encounter with the patient and/or family/caregiver, see 99358, 99359. For
 30 E/M services that require prolonged clinical staff time and may include face-to-face
 31 services by the physician or other qualified health care professional, see 99415, 99416. Do
 32 not report 99417 in conjunction with 99358, 99359, 99415, 99416.

1 The following examples illustrate the correct reporting of prolonged services with or
 2 without direct patient contact in the office setting:
 3

Total Duration of New Patient Office or Other Outpatient Services (use with 99205)	Code(s)
Less than 75 minutes	99417 Not reported separately
75-89 minutes	99205 X 1 and 99417 X 1
90-104 minutes	99205 X 1 and 99417 X 2
105 minutes or more	99205 X 1 and 99417 X 3 or more for each additional 15 minutes

4

Total Duration of Established Patient Office or Other Outpatient Services (use with 99215)	Code(s)
Less than 55 minutes	99417 Not reported separately
55-69 minutes	99215 X 1 and 99417 X 1
70-84 minutes	99215 X 1 and 99417 X 2
85 minutes or more	99215 X 1 and 99417 X 3 or more for each additional 15 minutes

5
 6 **MEDICAL NECESSITY CRITERIA FOR PHYSICAL THERAPY (PT),**
 7 **OCCUPATIONAL THERAPY (OT), AND ATHLETIC TRAINING (AT)**
 8 **EVALUATION AND RE-EVALUATION SERVICES**

9
 10 **Evaluation**

11 An initial evaluation for a new condition by a Physical Therapist, Occupational Therapist,
 12 or Athletic Trainer is defined as the evaluation of a patient:

- 13 • For which this is their first encounter with the practitioner or practitioner group;
- 14 • Who presents with:
 - 15 ○ A new injury or new condition; or
 - 16 ○ The same or similar complaint after discharge from previous care;
- 17 • Choice of code is dependent upon the level of complexity.

1 Relevant CPT Codes: CPT 97161, 97162, and 97163 – Physical Therapy evaluation, CPT
 2 97165, 97166, and 97167 – Occupational Therapy evaluation, and CPT 97169, 97170, and
 3 97171 - Athletic Training evaluation

4
 5 The evaluation codes reflect 3 levels of patient presentation: low-complexity, moderate-
 6 complexity, and high-complexity. Four components are used to select the appropriate PT
 7 evaluation CPT code. These include:

- 8 1. History;
- 9 2. Examination;
- 10 3. Clinical decision making;
- 11 4. Development of plan of care.

12
 13 Four components are used to select the appropriate OT evaluation CPT code. These
 14 include:

- 15 1. Occupational profile and client history (medical and therapy);
- 16 2. Assessments of occupational performance;
- 17 3. Clinical decision making;
- 18 4. Development of plan of care.

19
 20 Four components are used to select the appropriate AT evaluation CPT code. These
 21 include:

- 22 1. History and physical activity profile;
- 23 2. Examination;
- 24 3. Clinical decision making;
- 25 4. Development of plan of care conducted by the physician or other qualified health
 26 care professional. Coordination, consultation, and collaboration of care with
 27 physicians, other qualified health care professionals, or agencies is provided
 28 consistent with the nature of the problem(s) and the needs of the patient, family,
 29 and/or other caregivers.

30
 31 **CPT Codes and Descriptions for PT, OT and AT Services**

CPT Code	CPT Code Description
97161	Physical therapy evaluation, low complexity, requiring these components: • A history with no personal factors and/or comorbidities that impact the plan of care; • An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; • A clinical presentation with stable and/or uncomplicated characteristics; and • Clinical decision making of low complexity using standardized patient

CPT Code	CPT Code Description
	assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.
97162	Physical therapy evaluation, moderate complexity, requiring these components: ● A history with 1-2 personal factors and/or comorbidities that impact the plan of care; ● An examination of body system(s) using standardized tests and measures addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; ● An evolving clinical presentation with changing characteristics; and ● Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family.
97163	Physical therapy evaluation, high complexity, requiring these components: ● A history with 3 or more personal factors and/or comorbidities that impact the plan of care; ● An examination of body system(s) using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; ● A clinical presentation with unstable and unpredictable characteristics; and ● Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.
97165	Occupational therapy evaluation, low complexity, requiring these components: ● An occupational profile and medical and therapy history, which includes a brief history including review of medical and/or therapy records relating to the presenting problem; ● An assessment(s) that identifies 1-3 performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and ● Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family.

CPG 111 Revision 1 – S Effective 01/01/2023

Patient Assessments: Medical Necessity Decision Assist Guideline for Evaluations, Re-evaluations and Consultations for Dates of Service Effective January 1, 2023

Revised – July 20, 2023

To CQT for review 06/12/2023

CQT reviewed 06/12/2023

To QIC for review and approval 07/11/2023

QIC reviewed and approved 07/11/2023

To QOC for review and approval 07/20/2023

QOC reviewed and approved 07/20/2023

CPT Code	CPT Code Description
97166	Occupational therapy evaluation, moderate complexity, requiring these components: • An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; • An assessment(s) that identifies 3-5 performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and • Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.
97167	Occupational therapy evaluation, high complexity, requiring these components: • An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; • An assessment(s) that identify 5 or more performance deficits (i.e., relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and • A clinical decision-making is of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (e.g., physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.
97169	Athletic training evaluation, low complexity, requiring these components: • A history and physical activity profile with no comorbidities that affect physical activity; • An examination of affected body area and other symptomatic or related systems addressing 1-2 elements from any of the following body structures, physical activity, and/or participation deficiencies; and • Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 15 minutes are spent face-to-face with the patient and/or family.

CPG 111 Revision 1 – S Effective 01/01/2023

Patient Assessments: Medical Necessity Decision Assist Guideline for Evaluations, Re-evaluations and Consultations for Dates of Service Effective January 1, 2023

Revised – July 20, 2023

To CQT for review 06/12/2023

CQT reviewed 06/12/2023

To QIC for review and approval 07/11/2023

QIC reviewed and approved 07/11/2023

To QOC for review and approval 07/20/2023

QOC reviewed and approved 07/20/2023

CPT Code	CPT Code Description
97170	Athletic training evaluation, moderate complexity, requiring these components: ● A medical history and physical activity profile with 1-2 comorbidities that affect physical activity; ● An examination of affected body area and other symptomatic or related systems addressing a total of 3 or more elements from any of the following: body structures, physical activity, and/or participation deficiencies; and ● Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family.
97171	Athletic training evaluation, high complexity, requiring these components: ● A medical history and physical activity profile, with 3 or more comorbidities that affect physical activity; ● A comprehensive examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures, physical activity, and/or participation deficiencies; ● Clinical presentation with unstable and unpredictable characteristics; and ● Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

The initial evaluation should document the necessity of a course of therapy through objective findings and subjective patient/caregiver self-reporting. Initial evaluations must be completed by the therapist or physician/Non-Physician Practitioner that will be providing the therapy services. Initial evaluations are completed to determine the medical necessity of initiating rehabilitative therapy or skilled instruction in maintenance activities that the patient and/or caregiver can perform at home. The evaluation process assesses, for example, the severity and impact of the current problem, the possibility of multi-site or multi-system involvement, the presence of pre-existing systemic conditions (e.g., diseases), and the stability of the condition. If the patient presents with multi-system involvement and/or multiple site involvement, all pertinent areas/conditions should be assessed at the initial evaluation (i.e., cervical pain and knee pain; low back pain and rotator cuff irritation; cervical pain and low back pain).

Factors that impact the level of evaluation include the following:

- Patient’s age
- Time since onset of injury/illness/exacerbation
- Mechanism of injury/illness/exacerbation

- 1 • Past medical and surgical history
- 2 • Co-morbidities and their impact on improvement
- 3 • Prior level of function
- 4 • Current level of function
- 5 • Status of current condition
- 6 • Patient’s cognitive status and safety concerns
- 7 • Patient’s level of motivation
- 8 • Patient’s home situation (environment and family support)
- 9 • Objective examination findings
- 10 • Goals and goal agreement with the patient
- 11 • Rehab potential (prognosis) and probable outcome
- 12 • Expected progression of patient

13
 14 Only one initial evaluation code should be used, and all presenting complaints and
 15 problems evaluated. If over the course of an episode of treatment, a new, unrelated
 16 diagnosis occurs, another initial evaluation may be covered. See *Physical Therapy Medical*
 17 *Policy/Guideline (CPG 135 – S)*, *Occupational Therapy Medical Policy/Guideline (CPG*
 18 *155 – S)*, and *Athletic Training Medical Policy/Guideline (CPG 183 – S)* for more detail.

19
 20 Providers/practitioners should consider the following points when billing for an evaluation.

- 21 • These evaluation codes are untimed, billable as one unit.
- 22 • Do not bill for a therapy initial evaluation for each therapy discipline on more than
 23 one date of service. If an evaluation spans more than one day, the evaluation should
 24 only be billed as one unit for the entire evaluation service (typically billed on the
 25 day that the evaluation is completed). Do not count as therapy “treatment” the
 26 additional minutes needed to complete the evaluation during the subsequent
 27 session(s).
- 28 • Do not bill range of motion (ROM) or physical performance tests and measurement
 29 codes (95851-95852, 97750, 97755, respectively). on the same day as the initial
 30 evaluation. The procedures performed are included in the initial evaluation codes
 31 and are not allowed by the Correct Coding Initiative (CCI) edits.
- 32 • Do not bill therapy screenings utilizing the evaluation codes. Screenings are not
 33 billable services.
- 34 • Evaluations for deconditioning after hospitalization where it is anticipated that prior
 35 functional abilities would spontaneously return through patient, caregiver and/or
 36 nursing activities are not considered medically necessary and are not covered.
- 37 • If treatment is given on the same day as the initial evaluation, the treatment is billed
 38 using the appropriate CPT codes. The documentation must clearly describe the
 39 treatment that was provided in addition to the evaluation.

Re-evaluation Services by Physical Therapist, Occupational Therapist or Athletic Trainer

Re-evaluations are distinct from therapy assessments. There are several routine reassessments that are not considered re-evaluations. These include ongoing reassessments that are part of each skilled treatment session, progress reports, and discharge summaries. Re-evaluation provides additional objective information not included in documentation of ongoing assessments, treatment or progress notes. Assessments are considered a routine aspect of intervention and are not billed separately from the intervention. Continuous assessment of the patient’s progress is a component of the ongoing therapy services and is not payable as a re-evaluation.

Re-evaluation services are considered medically necessary when all of the following conditions are met:

- Re-evaluation is not a recurring routine assessment of patient status;
- The documentation of the re-evaluation includes all of the following elements:
 - An evaluation of progress toward current goals;
 - Making a professional judgment about continued care;
 - Making a professional judgment about revising goals and/or treatment or terminating services.

AND the following indication is documented:

- An exacerbation or significant change in patient/client status or condition.

Relevant CPT Codes: CPT 97164 – Physical Therapy re-evaluation, CPT 97168 – Occupational Therapy re-evaluation, and CPT 97172 Athletic Training re-evaluation

CPT® Code	CPT® Code Description
97164	Re-evaluation of physical therapy established plan of care, requiring these components: • An examination including a review of history and use of standardized tests and measures is required; and • Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family
97168	Re-evaluation of occupational therapy established plan of care, requiring these components: • An assessment of changes in patient functional or medical status with revised plan of care; • An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and • A revised plan of care. A formal re-evaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required.

CPT® Code	CPT® Code Description
	Typically, 30 minutes are spent face-to-face with the patient and/or family
97172	Re-evaluation of athletic training established plan of care requiring these components: • An assessment of patient’s current functional status when there is a documented change; and • A revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome with an update in management options, goals and interventions. Typically, 20 minutes are spent face-to-face with the patient and/or family.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

A re-evaluation is indicated when there is an exacerbation or significant change in the status or condition of the patient. Re-evaluation is a more comprehensive assessment that includes ALL of the components of the initial evaluation, such as:

- Data collection with objective measurements taken based on appropriate and relevant assessment tests and tools using comparable and consistent methods;
- Making a judgment as to whether skilled care is still warranted;
- Organizing the composite of current problem areas and deciding a priority/focus of treatment;
- Identifying the appropriate intervention(s) for new or ongoing goal achievement;
- Modification of intervention(s);
- Revision in plan of care if needed;
- Correlation to meaningful change in function; AND
- Deciphering effectiveness of intervention(s).

See *Physical Therapy Medical Policy/Guideline (CPG 135 – S)*, *Occupational Therapy Medical Policy/Guideline (CPG 155 – S)*, and *Athletic Training Medical Policy/Guideline (CPG 183 – S)* clinical practice guidelines for more detail.

Providers/practitioners should consider the following points when billing for a re-evaluation.

- Indications for a re-evaluation include an **exacerbation or significant change in patient/client status or condition.**
- When re-evaluations are done for a significant change or exacerbation in status or condition, documentation must show a significant improvement, decline or change in the patient’s diagnosis, condition or functional status that was not anticipated in the current plan of care. The plan of care may need to be revised if significant changes are made, such as a change in the long-term goals.

- If a patient is hospitalized during the therapy interval, a re-evaluation may be medically necessary if there has been a significant change in the patient’s condition which has caused a change in function, long term goals, and/or treatment plan.
- Therapy re-evaluations should contain all the applicable components of an initial evaluation and must be completed by a clinician.
- A re-evaluation is not a routine, recurring service. Do not bill for routine re-evaluations, including those done for the purpose of completing an updated plan of care, a recertification report, a progress report, or a physician progress report. Although some state regulations and practice acts require re-evaluations at specific intervals, for ASH payment, re-evaluations must meet ASH coverage guidelines.
- These re-evaluation codes are untimed, billable as one unit.
- Do not bill for re-evaluations as unlisted codes (97039, 97139, 97799), and/or with ROM or physical performance tests and measurement codes (95851-95852, 97750, 97755, respectively).

Medical Necessity Criteria for Speech Language Pathologist (SLP) Services Evaluation

Relevant CPT Codes: Speech/hearing evaluation (CPT codes 92521, 92522, 92523, and 92524)

CPT® Code	CPT® Code Description
92521	Evaluation of speech fluency (e.g., stuttering, cluttering)
92522	Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria)
92523	Evaluation of speech sound production (e.g., articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (e.g., receptive and expressive language)
92524	Behavioral and qualitative analysis of voice and resonance

An evaluation for SLP services is indicated, reasonable and necessary for the clinician to perform to determine:

- If there is an expectation that the services will be appropriate for the patient’s condition.
- The patient's level of function and is focused on identifying what the patient wants and needs to do, and on identifying those factors that help or hinder the performance of those activities.

1 During the first patient contact, the clinician evaluates and documents:

- 2 • A diagnosis (where allowed by scope of practice) and description of the specific
3 problem to be evaluated and/or treated. This should include the specific body
4 area(s) evaluated. Include all conditions and complexities that may impact the
5 treatment. A description might include, for example, the pre-morbid function, date
6 of onset, and current function;
- 7 • Objective measurements, preferably standardized patient assessment instruments
8 and/or outcomes measurement tools related to current functional status, when these
9 are available and appropriate to the condition being evaluated;
- 10 • Clinician's clinical judgments or subjective impressions that describe the current
11 functional status of the condition being evaluated, when they provide further
12 information to supplement measurement tools; and
- 13 • A determination that treatment is not needed, or, if treatment is needed a prognosis
14 for return to pre-morbid condition or maximum expected condition with expected
15 time frame and a plan of care.

16
17 In addition to the general information above, the evaluation includes the identification,
18 assessment, diagnosis, and evaluation for disorders of: speech, articulation, fluency, and
19 voice (including respiration, phonation, and resonance); language skills (involving the
20 parameters of phonology, morphology, syntax, semantics, and pragmatics, and including
21 disorders of receptive and expressive communication in oral, written, graphic, and manual
22 modalities); and cognitive aspects of communication (including communication disability
23 and other functional disabilities associated with cognitive impairment).

24 25 **Re-evaluations**

26 Previously CPT Code: Current Procedural Terminology does not define a re-evaluation
27 code for speech language pathology; and thus, the evaluation code should be used.
28 Currently a HCPCS Code: S9152 defines a Speech therapy, re-evaluation. This service is
29 not separately priced by Medicare part B (e.g., services not covered, bundled, used by part
30 A only, etc.), however some insurance companies may recognize it. Regardless, the
31 documentation should differentiate between evaluation/re-evaluation and screening.
32 Screening assessments are non-covered.

33
34 A re-evaluation is the re-assessment of the patient's performance and goals, after an
35 intervention plan has been instituted, in order to determine the type and amount of change
36 in treatments if needed. A re-evaluation may be indicated during an episode of care when
37 a significant improvement, decline, or change in the patient's condition occurs. Re-
38 evaluation requires the same professional skill as evaluation.

39
40 The decision to provide a re-evaluation shall be made by the clinician making a
41 professional judgment about continued care, modifying goals and/or treatment or

1 terminating services. A formal re-evaluation is covered only if the documentation supports
 2 the need for further tests and measurements after the initial evaluation. Re-evaluations are
 3 usually focused on the current treatment and may not be as extensive as initial evaluations.
 4 Re-evaluations may be appropriate at a planned discharge.

5
 6 Continuous assessment of the patient's progress is a component of ongoing therapy
 7 services and is not a re-evaluation. A re-evaluation is not a routine, recurring service but is
 8 focused on evaluation of progress toward current goals, making a professional judgment
 9 about continued care, modifying goals and/or treatment or terminating services. Infrequent
 10 re-evaluations of maintenance programs may be covered when deemed necessary, if they
 11 require the skills of the SLP, and they are a distinct and separately identifiable service
 12 which can only be done safely by the SLP.

13 14 **Discharge Evaluations**

- 15 • Discharge evaluations are subject to a determination of medical necessity. They
 16 **may** be appropriate to report the health status of a patient to a referring health care
 17 practitioner or to establish a baseline health status upon discharge in complex cases
 18 where the patient has a history of recurrent episodes and/or has a complicated
 19 condition and has reached Maximum Therapeutic Benefit (MTB).

20 21 **Evaluation and Re-Evaluation Services may be non-covered services (Per applicable** 22 **client summaries)**

23 **For example:**

- 24 • Evaluation of a well patient regardless of age for the purpose of maintenance,
 25 prevention or wellness
- 26 • Pre-participation sport physicals
- 27 • Pre-employment physicals

28 29 **References**

30 American Medical Association. CPT® Evaluation and Management (E/M) Code and
 31 Guideline Changes. Retrieved May 11, 2023 from [https://www.ama-](https://www.ama-assn.org/system/files/2023-e-m-descriptors-guidelines.pdf)
 32 [assn.org/system/files/2023-e-m-descriptors-guidelines.pdf](https://www.ama-assn.org/system/files/2023-e-m-descriptors-guidelines.pdf)

33
 34 American Medical Association. (current year). *Current Procedural Terminology (CPT)*
 35 *current year* (rev. ed.). Chicago: AMA.

36
 37 American Physical Therapy Association. New Physical Therapy Evaluation and Re-
 38 evaluation CPT Codes. Retrieved on May 11, 2023 from
 39 <http://www.apta.org/EvalCodes/>

1 Centers for Medicare and Medicaid Services (CMS). Pub. 100-02, Chapter 15, Sections
2 220 and 230 Therapy Services. Coverage of Outpatient Rehabilitation Therapy
3 Services (Physical Therapy, Occupational Therapy, and Speech-Language Pathology
4 Services) Under Medical Insurance (Rev. 11995, 04-21-23). Retrieved May 11, 2023
5 from [https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/
6 bp102c15.PDF](https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/bp102c15.PDF)
7

8 Centers for Medicare & Medicaid Services (CMS). Local Coverage Determination (LCD):
9 OUTPATIENT Physical and Occupational Therapy Services (L33631). Retrieved on
10 May 11, 2023 from: [https://www.cms.gov/medicare-coverage-database/details/lcd-
11 details.aspx?lcdid=33631&ver=51&KeyWord=outpatient%20physical%20and&Key
12 WordLookup=Title&KeywordSearchType=Exact&bc=CAAAAAAAAAAAAA](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?lcdid=33631&ver=51&KeyWord=outpatient%20physical%20and&KeyWordLookup=Title&KeywordSearchType=Exact&bc=CAAAAAAAAAAAAA)
13

14 Centers for Medicare and Medicaid Services (CMS). Local Coverage Determination
15 (LCD): Speech - Language Pathology (SLP) Services: Communication Disorders
16 (L35070). Retrieved on May 11, 2023 from [https://www.cms.gov/medicare-coverage-
17 database/details/lcd-
18 details.aspx?lcdid=35070&ver=76&KeyWord=speech&KeyWordLookup=Title&Ke
19 yWordSearchType=Exact&bc=CAAAAAAAAAAAAA](https://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?lcdid=35070&ver=76&KeyWord=speech&KeyWordLookup=Title&KeyWordSearchType=Exact&bc=CAAAAAAAAAAAAA)
20

21 Centers for Medicare and Medicaid Services (CMS). Local Coverage Determination
22 (LCD): Outpatient Speech Language Pathology (L34429). Retrieved on May 11, 2023
23 from [https://www.cms.gov/medicare-coverage-
24 database/view/lcd.aspx?lcdid=34429&ver=63&KeyWord=spee&KeyWordLookup=
25 Title&KeywordSearchType=Exact&bc=CAAAAAAAAAAAAA](https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=34429&ver=63&KeyWord=spee&KeyWordLookup=Title&KeywordSearchType=Exact&bc=CAAAAAAAAAAAAA)
26

27 Guide to Physical Therapist Practice 4.0. Alexandria, VA: American Physical Therapy
28 Association; 2023. Retrieved on May 11, 2023 from <http://guidetoptpractice.apta.org/>.
29

30 Haldeman, S., Chapman-Smith, D., & Petersen, D. M. (1993). *Guidelines for chiropractic
31 quality assurance and practice parameters*. Gaithersburg, MD: Aspen Publishers.
32

33 National Athletic Trainer’s Association. Commonly Used CPT Codes. Retrieved May 11,
34 2023 from [https://www.nata.org/practice-patient-care/revenue-reimbursement/general-
35 revenue-reimbursement/commonly-used-cpt-codes](https://www.nata.org/practice-patient-care/revenue-reimbursement/general-revenue-reimbursement/commonly-used-cpt-codes)
36

37 New CPT Evaluation Codes for SLPs. Retrieved on May 11, 2023 from
38 [http://www.asha.org/Practice/reimbursement/coding/New-CPT-Evaluation-Codes-
39 for-SLPs/](http://www.asha.org/Practice/reimbursement/coding/New-CPT-Evaluation-Codes-for-SLPs/)

- 1 Scope of Practice in Speech-Language Pathology. Retrieved on May 11, 2023 from
- 2 <http://www.asha.org/policy/SP2016-00343/>

CPG 111 Revision 1 – S Effective 01/01/2023

Patient Assessments: Medical Necessity Decision Assist Guideline for Evaluations, Re-evaluations and Consultations for Dates of Service Effective January 1, 2023

Revised – July 20, 2023

To CQT for review 06/12/2023

CQT reviewed 06/12/2023

To QIC for review and approval 07/11/2023

QIC reviewed and approved 07/11/2023

To QOC for review and approval 07/20/2023

QOC reviewed and approved 07/20/2023