

1 **Clinical Practice Guideline: Health and Behavior Assessments**

2

3 **Date of Implementation: August 16, 2012**

4

5 **Product: Specialty**

6

7

8 **GUIDELINES**

9 American Specialty Health – Specialty (ASH) considers a Health and Behavioral
10 Assessment, initial or Reassessment (CPT® code 96156), and Intervention services (CPT®
11 codes 96158, 96159) medically necessary for a patient meeting **ALL of the following**
12 **criteria:**

- 13 A. The patient has an underlying physical illness or injury; and
- 14 B. There are indications that biopsychosocial factors may be significantly affecting
15 the treatment or medical management of an illness or an injury; and
- 16 C. The patient is alert, oriented and has the capacity to understand and to respond
17 meaningfully during the face-to-face encounter; and
- 18 D. The patient has a documented need for psychological evaluation or intervention to
19 successfully manage their physical illness, and activities of daily living; and
- 20 E. The assessment is not duplicative of other practitioner assessments.

21

22 Additionally, for a health and behavior reassessment to be considered medically necessary,
23 there must be documentation that indicates there has been a sufficient change in mental or
24 medical status warranting reevaluation of the patient’s capacity to understand and
25 cooperate with the medical interventions necessary to their health and well-being.

26

27 Health and Behavioral Intervention, individual or group (2 or more patients) (CPT®
28 codes 96158, 96159, 96164, 96165) require that:

29

- 30 A. Specific psychological intervention(s) and patient outcome goal(s) have been
31 clearly identified, and
- 32 B. Psychological intervention is necessary to address:
 - 33 1. Non-compliance with the medical treatment plan, or
 - 34 2. The biopsychosocial factors associated with a newly diagnosed physical
35 illness, or an exacerbation of an established physical illness, when such
36 factors affect symptom management and expression, health-promoting
37 behaviors, health-related risk-taking behaviors, and overall adjustment to
38 medical illness.

1 Health and Behavioral Intervention (with the family and patient present) (CPT® codes
2 96167, 96168) is considered reasonable and necessary for the patient who meets **ALL of**
3 **the following criteria:**

- 4 A. The family representative* directly participates in the overall care of the patient,
5 and
- 6 B. The psychological intervention with the patient and family is necessary to address
7 biopsychosocial factors that affect compliance with the plan of care, symptom
8 management, health-promoting behaviors, health-related risk-taking behaviors, and
9 overall adjustment to medical illness.

10
11 *For the purpose of this guideline, all references to a family representative are defined as
12 immediate family members only (i.e., husband, wife, siblings, children, grandchildren,
13 grandparents, mother, and father); any primary caregiver who provides care on a voluntary,
14 uncompensated, regular and sustained basis; or a guardian or healthcare proxy.

15
16 Health and Behavioral Assessment/Intervention will not be considered reasonable and
17 necessary for the patient who:

- 18 A. Does not have an underlying physical illness or injury; or
- 19 B. For whom there is no documented indication that a biopsychosocial factor may be
20 significantly affecting the treatment, or medical management of an illness or injury
21 (i.e., screening medical patient for psychological problems); or
- 22 C. Does not have the capacity to understand and to respond meaningfully during the
23 face-to-face encounter, because of:
 - 24 a. Dementia that has produced a severe enough cognitive defect for the
25 psychological intervention to be ineffective;
 - 26 b. Delirium;
 - 27 c. Severe and profound mental retardation;
 - 28 d. Persistent vegetative state/no discernible consciousness;
 - 29 e. Impaired mental status, e.g.,
 - 30 i. disorientation to person, time, place, purpose, or
 - 31 ii. inability to recall current season, location of own room, names, and
32 faces, or
 - 33 iii. inability to recall that they are in a nursing home or skilled nursing
34 facility
 - 35 iv. Does not require psychological support to successfully manage
36 their physical illness through identification of the barriers to the
37 management of physical disease and activities of daily living, or
 - 38 v. For whom the conditions noted under the indications portion of
39 this section are not met.

1 Health and Behavioral Intervention with the family and patient present will not be
2 considered reasonable and necessary for the patient if:

- 3 A. It is not necessary to ensure patient compliance with the medical treatment plan, or
- 4 B. The family representative does not directly participate in the plan of care, or
- 5 C. The family representative is not present.
- 6 D. There is no face-to-face encounter with the patient.

7
8 Because it does not represent a diagnostic or treatment service to the patient, there is no
9 coverage for CPT® codes 96170, 96171.

10
11 Health and Behavioral Interventions are **NOT** considered reasonable and necessary to:

- 12 A. Update or educate the family about the patient's condition
- 13 B. Educate family members, primary caregivers, guardians, the health care proxy, or
14 other members of the treatment team (e.g., health aides, nurses, physical or
15 occupational therapists, home health aides, personal care attendants and co-
16 workers) about the patient's care plan.
- 17 C. Assist in treatment-planning with staff
- 18 D. Provide family psychotherapy or mediation
- 19 E. Educate diabetic patients and diabetic patients' family members
- 20 F. Deliver Medical Nutrition Therapy
- 21 G. Maintain the patient's or family's existing health and overall well-being
- 22 H. Provide personal, social, recreational, and general support services.
23 a. Although such services may be valuable adjuncts to care, they are not
24 medically necessary psychological interventions.

25
26 Examples of services **NOT** covered as Health and Behavioral Interventions are:

- 27 • Stress management for support staff
- 28 • Replacement for expected nursing home staff functions
- 29 • Music appreciation and relaxation
- 30 • Craft skill training
- 31 • Cooking classes
- 32 • Comfort care services
- 33 • Individual social activities
- 34 • Teaching social interaction skills
- 35 • Socialization in a group setting
- 36 • Retraining cognition due to dementia
- 37 • General conversation
- 38 • Services directed toward making a more dynamic personality
- 39 • Consciousness raising
- 40 • Vocational or religious advice
- 41 • General educational activities
- 42 • Tobacco or caffeine withdrawal support

- 1 • Visits for loneliness relief
- 2 • Sensory stimulation
- 3 • Games, including bingo games
- 4 • Projects, including letter writing
- 5 • Entertainment and diversionary activities
- 6 • Excursions, including shopping outings, even when used to reduce a dysphoric state
- 7 • Teaching grooming skills
- 8 • Grooming services
- 9 • Monitoring activities of daily living
- 10 • Teaching the patient simple self-care
- 11 • Teaching the patient to follow simple directives
- 12 • Wheeling the patient around the facility
- 13 • Orienting the patient to name, date, and place
- 14 • Exercise programs, even when designed to reduce a dysphoric state
- 15 • Memory enhancement training
- 16 • Weight loss management
- 17 • Case management services including but not limited to planning activities of daily
- 18 living, arranging care or excursions, or resolving insurance problems
- 19 • Activities principally for diversion
- 20 • Planning for milieu modifications
- 21 • Contributions to patient care plans
- 22 • Maintenance of behavioral logs

23
 24 Biofeedback is coded as 90901 and will not be covered as a health and behavioral
 25 intervention.

26
 27 For health and behavior assessment and/or intervention services performed by a physician,
 28 clinical nurse specialist (CNS), or nurse practitioner (NP), Evaluation and Management
 29 (E/M) or Preventive Medicine services codes should be used.

30
 31 **CPT® Codes and Descriptions**

CPT® Code	CPT® Code Description
96127	Brief emotional/behavioral assessment (e.g., depression inventory, attention-deficit/hyperactivity disorder [ADHD] scale), with scoring and documentation, per standardized instrument
96156	Health behavior assessment, or re-assessment (i.e., health-focused clinical interview, behavioral observations, clinical decision making)
96158	Health behavior intervention, individual, face-to-face; initial 30 minutes

CPT® Code	CPT® Code Description
96159	Health behavior intervention, individual, face-to-face; each additional 15 minutes (List separately in addition to code for primary service)
96164	Health behavior intervention, group (2 or more patients), face-to-face; initial 30 minutes
96165	Health behavior intervention, group (2 or more patients), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)
96167	Health behavior intervention, family (with the patient present), face-to-face; initial 30 minutes
96168	Health behavior intervention, family (with the patient present), face-to-face; each additional 15 minutes (List separately in addition to code for primary service)

1

2 Please refer to Local Medicare Administrative Contractor (MAC) for list of relevant ICD-
3 10 codes.

4

5 **CPT® Code and Documentation Requirements to Substantiate Medical Necessity**

6 Documentation in the medical record must include:

7

8 For the HBA initial assessment, evidence to support that the assessment is reasonable and
9 necessary, and must include, at a minimum, the following elements:

- 10 • Health and Behavioral Assessment/Intervention (CPT® codes 96150-96154,
11 96156, 96167, 96168) may only be performed by a Clinical Psychologist (CP-
12 Specialty Code 68).
- 13 • Date of initial diagnosis of physical illness, and
- 14 • Clear rationale for why assessment is required, and
- 15 • Assessment outcome including mental status and ability to understand and respond
16 meaningfully, and
- 17 • Goals and expected duration of specific psychological intervention(s), if
18 recommended.

19

20 For the HBA reassessment, detailed progress notes to support that the reassessment is
21 reasonable and necessary should include the following:

- 22 • Date of change in mental or physical status;
- 23 • Sufficient rationale for why reassessment is required; and
- 24 • Clear indication of any precipitating events that necessitate reassessment.
- 25 • Changes in goals, duration and/or frequency and duration of services

1 For the HBA intervention service, evidence to support that the intervention is reasonable
 2 and necessary must include, at a minimum, the following elements:

- 3 • Evidence that the patient has the capacity to understand and to respond
 4 meaningfully
- 5 • Clearly defined psychological intervention plan
- 6 • The goals of the psychological intervention

7
 8 This documentation includes, but is not limited to, relevant medical history, physical
 9 examination, and results of pertinent diagnostic tests or procedures. Because of the impact
 10 on the medical management of the patient's disease, documentation must show evidence of
 11 coordination of care with the patient's primary medical care providers or medical provider
 12 responsible for the medical management of the physical illness that the psychological
 13 assessment/intervention was meant to address.

- 14 • There is an expectation that the psychological intervention will improve
 15 compliance with the medical treatment plan
- 16 • The response to the intervention
- 17 • Rationale for frequency and duration of services

18 **DESCRIPTION/BACKGROUND**

19 Health behavior assessment is conducted through health-focused clinical interviews,
 20 behavioral observation and clinical decision-making, includes evaluation of the patient's
 21 responses to disease, illness or injury, outlook, coping strategies, motivation and adherence
 22 to medical treatment.” (American Psychological Association Services, 2022) Assessment
 23 is conducted through health-focused clinical interviews, observation, and clinical decision
 24 making.
 25

26 **PRACTITIONER SCOPE AND TRAINING**

27 Practitioners should practice only in the areas in which they are competent based on their
 28 education, training, and experience. Levels of education, experience, and proficiency may
 29 vary among individual practitioners. It is ethically and legally incumbent on a practitioner
 30 to determine where they have the knowledge and skills necessary to perform such services
 31 and whether the services are within their scope of practice.
 32

33
 34 It is best practice for the practitioner to appropriately render services to a patient only if
 35 they are trained to competency, equally skilled, and adequately competent to deliver a
 36 service compared to others trained to perform the same procedure. If the service would be
 37 most competently delivered by another health care practitioner who has more skill and
 38 training, it would be best practice to refer the patient to the more expert practitioner.
 39

40 Best practice can be defined as a clinical, scientific, or professional technique, method, or
 41 process that is typically evidence-based and consensus driven and is recognized by a
 42 majority of professionals in a particular field as more effective at delivering a particular

1 outcome than any other practice (Joint Commission International Accreditation Standards
2 for Hospitals, 2020)

3
4 Depending on the practitioner’s scope of practice, training, and experience, a patient’s
5 condition and/or symptoms during examination or the course of treatment may indicate the
6 need for referral to another practitioner or even emergency care. In such cases it is essential
7 for the practitioner to refer the patient for appropriate co-management (e.g., to their primary
8 care physician) or if immediate emergency care is warranted, to contact 911 as appropriate.
9 See the *Managing Medical Emergencies (CPG 159 – S)* clinical practice guideline for
10 information.

11 **References**

12 American Medical Association. (current year). *Current Procedural Terminology (CPT)*
13 *current year* (rev. ed.). Chicago: AMA

14
15
16 American Psychological Association Services, Inc. 2020 Health Behavior Assessment and
17 Intervention Billing and Coding Guide. Retrieved on April 15, 2024 from
18 <https://www.apaservices.org/practice/reimbursement/health-codes/billing-guide.pdf>

19
20 American Psychological Association Services, Inc. (2022, November). *Health Behavior*
21 *Assessment and Intervention Services*. <https://www.apaservices.org>.
22 <https://www.apaservices.org/practice/reimbursement/health-codes/health-behavior>

23
24 Centers for Medicare and Medicaid Services (CMS). Health and Behavior
25 Assessment/Intervention – Medical Policy Article (A52434). Retrieved May 30, 2024
26 from [https://www.cms.gov/medicare-coverage-](https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=52434&ver=46&=)
27 [database/view/article.aspx?articleid=52434&ver=46&=](https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=52434&ver=46&=)

28
29 Integrated Behavioral Health Partners. (n.d.). Billing, reimbursement and financing.
30 Retrieved April 15, 2024 from [http://www.ibhpartners.org/get-](http://www.ibhpartners.org/get-started/procedures/billing-reimbursement-and-financing/)
31 [started/procedures/billing-reimbursement-and-financing/](http://www.ibhpartners.org/get-started/procedures/billing-reimbursement-and-financing/)

32
33 Joint Commission International. (2020). Joint Commission International Accreditation
34 Standards for Hospitals (7th ed.): Joint Commission Resources